

https://www.phoenixcontact.com/au/products/3030187



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 4, length: 23 mm, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial Data

Item number	3030187
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BE2Z2X
Product Key	BE2Z2X
Catalog Page	Page 70 (C-1-2019)
GTIN	4017918193829
Weight per Piece (including packing)	3.334 g
Weight per Piece (excluding packing)	3.334 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/au/products/3030187



Technical Data

Product properties

Product type	Jumper
Number of positions	4
Pitch	5.2 mm

Electrical properties

Maximum load current	24 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Connection data

Maximum load current	24 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Dimensions

Width	19.4 mm
Height	3 mm
Length	22.7 mm
Pitch	5.2 mm

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting


3030187

https://www.phoenixcontact.com/au/products/3030187



Drawings

Schematic diagram



Please note a reduction of the nominal voltage if the FBS bridges are configured by breaking out contact tabs or cutting to a specific length



https://www.phoenixcontact.com/au/products/3030187



Classifications

ECLASS

	ECLASS-10.0.1	27141140
	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ΕT	ГІМ	
	ETIM 8.0	EC000489

UNSPSC

UNSPSC 21.0 391	21400
-----------------	-------

3030187

https://www.phoenixcontact.com/au/products/3030187



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



https://www.phoenixcontact.com/au/products/3030187



Accessories

CUTFOX-FBS - Front cutter

1212124

https://www.phoenixcontact.com/au/products/1212124



Cutting tool, for separating individual jumper bars from FBS ... plug-in bridges and EB ... insertion bridges

FBSC - Protective cap

3012325

https://www.phoenixcontact.com/au/products/3012325



Covering hood, provides reliable shock protection when using cut-to-length FBS . ..-5 and FBS ...-6 bridges, color: red

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au